

NEW

FLY

SLALOM FOIL

5.5 | 6.6 | 7.8 | 8.6



PROGRAM

- Foil sailing, Free ride windsurfing

CARACTERISTIC

- Dedicated foil sail, convertible to free ride slalom windsurfing
- Tight leach in the head to optimise foiling time in light wind
- Added shape in the head will allowed proper downhaul tension without having sail twisting in the head
- Powerfull & stable
- Adapted shape for foiling

EQUIPMENT

- Kevlar mast pannel to lock the shape
- Strap tensioner on the outhaul
- Head PVC protection
- PVC batten end protector
- PVC anti-rubbing strip on lower batten pocket
- Velcro scratch on mast protector for easy access
- Triple stainless steel down haul
- Thermoform mast protector

CONSTRUCTION

- Monofilm sail
- Kevlar mast panel & reinforcement

RECOMMENDED MAST

- Constant curve
- RDM 100% as the first choice, for handling and thinner foil
- SDM 80% slightly deeper entry, SDM mast will lock the camber

X.O SAILS ADVISE

The FLY sail will be suit best with Constant curve mast because of the increased luft curve in the head 100% carbon mast is recommended to optimize control, The leach tension will allow the board to rail easily upwind and improve upwind angle, the increased leach tension also improve down wind sailing even by releasing outhaul tension


NEW

FLY

SLALOM FOIL

5.5 | 6.6 | 7.8 | 8.6

FEATURE



SPECIFICATIONS

SIZE m ²	BOOM cm	LUFF cm	MAST	BATTEN	CAMBER	TOP	REF.
5.5	185-187	421-423	400/19	7	3	Fixed	XOFLY55
6.6	207-209	447-449	430/21	7	3	Fixed	XOFLY66
7.8	229-231	485-487	460/25	7	3	Fixed	XOFLY78
8.6	236-239	498-500	490/29	7	3	Fixed	XOFLY86